



CLOUD9

FABRICS

FREE PROJECT SHEET **PARCEL QUILT**

SIZE 56" x 72"



DESIGN **MICHELLE ENGEL BENCKSO**

TECHNICAL EDITOR **KELLY BOWSER**

© CLOUD9 FABRICS 2014 | FOR PERSONAL USE ONLY

CLOUD9FABRICS.COM

MATERIALS

PARCEL QUILT FEATURING CIRRUS SOLIDS

1 FQ each of 19 Cirrus Solids: Amazon, Amber, Ash, Bark, Coral, Fuchsia, Grass, Iris, Lagoon, Lava, Ocean, Petal, Rain, Sand, Shadow, Sky, Sprout, Turquoise, Twig, Limestone

4¼ yards Limestone for Background

½ yard Limestone for Binding

4½ yards for Backing

CUTTING DIRECTIONS

Cutting dimensions include ¼" seam allowances.

From each FQ of Cirrus Solids:

1- 9" x WOF strip

2- 9" x WOF strips of Cirrus Solids Bark

Subcut into 9" x 4¾" rectangles:

- 2- from each: Amazon, Amber, Iris, Lagoon, Lava, Ocean, Shadow, Sprout, Turquoise
- 4- from each: Ash, Coral, Fuchsia, Grass, Petal, Rain, Sand, Sky
- 6- from Bark

Subcut into 9" x 1¼" rectangles:

- 1- from each: Bark, Coral, Fuchsia, Grass, Ocean, Petal, Sand, Sky, Turquoise, Twig
- 2- from each: Amazon, Amber, Ash, Lava, Shadow
- 3- from each: Iris, Lagoon, Rain, Sprout

From Limestone:

6- 9" x WOF strips subcut each into:

- 88- 9" x 2¼" rectangles (*there will be extra*)

7- 2½" x WOF strips

- Piece strips together to form:

- 2 strips- 2½" x 68½" (*side borders*)

- 2 strips- 2½" x 56½" (*top & bottom borders*)

14- 4¾" strips x WOF strips subcut each into:

- 112- 4¾" squares

8- 2" x 9" rectangles

ASSEMBLY DIRECTIONS

BLOCK ASSEMBLY

1. Mark a diagonal line from corner to corner on all of the (112) 4¾" squares. *[fig 1a]*
2. Place a 4¾" background square on the corner of a 9" x 4¾" rectangle. Sew along the line. *[fig 1b]* Press and trim bottom two layers leaving a ¼" seam allowance. *[fig 1c]* Repeat, adding a 4¾" background square to other side. *[fig 1d]* Makes 56 flying geese blocks in total.
3. Sew a 9" x 2¼" background rectangle to the side of each flying geese block. *[fig 2]*
4. Refer to **QUILT DIAGRAM** for color placement and sew a 9" x 1¼" colored rectangle to 32 of the flying geese blocks. *[fig 3]*

ASSEMBLING THE QUILT

5. Start top horizontal row with a 2" x 9" rectangle. Sew to Block B. Sew Block A to Block B. Sew a 9" x 2¼" rectangle to Block A. Finish row according to *[fig 4]*.
6. Repeat horizontal rows alternating the direction of the flying geese. Alternate starting and ending each row with a 2" x 8½" rectangle per **QUILT DIAGRAM**.
7. Sew horizontal rows together per the **QUILT DIAGRAM**.
8. Sew the 2½" x 68½" sashing to each side of the quilt. Sew the 2½" x 56½" sashing to the top and to the bottom of quilt.
9. Layer the backing, batting and quilt top. Baste, quilt and bind.

DIAGRAMS

fig 1a



fig 1b



fig 1c



fig 1d




fig 2

BLOCK A:




fig 3

BLOCK B:







fig 4



QUILT DIAGRAM

